


## Rincon Bay™

### StyleTherm® 3/4" Thermostatic Shower System

KT08-45.FR

"ZZ" denotes finish, "FR" denotes flow rate

Item	Model	Description	Links
1	SH-083.FR-ZZ	5-5/8" Multi-Function Showerhead	Specification Sheet
2	SH-01.6-ZZ	One Piece 6" Shower Arm & Flange	Specification Sheet
3	HS-083.FR-ZZ	4-1/8" Brass Multi-Function Handshower	Specification Sheet
4	9129-45-ZZ	Slide Bar Handshower Kit	Specification Sheet
5	BS-65-ZZ	Self-Cleaning Jet Body Spray	Specification Sheet
6	TO-THFN-45-ZZ	StyleTherm® 3/4" Thermostatic Trim Only	Specification Sheet
7	TO-45-W-ZZ	Wall or Deck Handle Trim Only	Specification Sheet





## <u>SHOWERHEAD</u>

#### 5-5/8" MULTI-FUNCTION CONTEMPORARY

#### **Features**

- 1/2" FIP inlet
- 3 function: rain, air & massage
- Self-cleaning rubber jets Solid brass pivot ball & body
- 5-5/8" diameter, gray face Available in 28 finishes including 13 PVD finishes
- Replace .FR with desired max flow rate: SH-083.25 for 2.5 gpm SH-083.20 for 2.0 gpm SH-083.18 for 1.8 gpm

#### Codes/Standards

Product meets or exceeds the following:


- ASME A112.18.1/CSA B125.1
- CEC (1.8 gpm) DOE (2.5, 2.0, & 1.8 gpm) Commonwealth of MA
- EPA WaterSense Showerhead (2.0 gpm)



SH-083.25 SH-083.20 SH-083.18







**DIMENSIONS SHOWN TO NEAREST 1/16"** [DIMENSIONS SHOWN TO NEAREST 1MM]

One Piece 6" Shower Arm & Flange

#### **Features**

- Available in 28 finishes including 13 PVD finishes
- All brass construction




#### Codes/Standards

Product meets or exceeds the following:

ASME A112.18.1/CSA B125.1



SH-01.6





## <u>Handshower</u>

#### 4-1/16" MULTI-FUNCTION CONTEMPORARY HANDSHOWER

#### **Features**

- 1/2" MIP inlet
- 3 function handshower: rain, air, & massage
- Self cleaning rubber jets
- Brass body
- 4-1/16" diameter, gray face
- Replace .FR with desired max flow rate: HS-083.25 for 2.5 gpm HS-083.20 for 2.0 gpm HS-083.18 for 1.8 gpm Over 28 finishes including 13 PVD finishes


## **Codes/Standards Applicable**Product meets or exceeds the following:


- ASME A112.18.1/CSA B125.1
- CEC (1.8 gpm) DOE (1.8. 2.0, & 2.5 gpm)
- Commonwealth of MA
- EPA WaterSense (2.0 gpm)



HS-083.18 HS-083.20 HS-083.25







ALL DIMENSIONS SHOWN TO NEAREST 1/16" [ALL DIMENSIONS SHOWN TO NEAREST 1MM]




## Rincon Bay™

#### Slide Bar Handshower Kit

9129-45

"ZZ" der	otes	finish
----------	------	--------

Item	Model	Description	Links
1	SH-10-48-ZZ	Decorative Supply Elbow	Specification Sheet
2	SB-45-ZZ	Wall Mounted Slide Bar	Specification Sheet
3	HS-68-ZZ	68" Brass Hose for Handshower	Specification Sheet





## **Body Sprays**

Self-Cleaning Jet Body Spray

#### **Features**

- · Available in 28 finishes including 13 PVD finishes
- All brass construction




BS-60 BS-65 BS-70 BS-77 BS-85


#### Codes/Standards

Product meets or exceeds the following:

ASME A112.18.1/CSA B125.1

BS-65-PC shown





Dimensions are inches, rounded to 1/16" [Dimensions in brackets are mm, rounded to 1mm]



## <u>Rincon Bay</u>

#### STYLETHERM 3/4" THERMOSTATIC TRIM ONLY

#### **Features**

- 100°F safety stop button with manual override 5-1/4" square faceplate; flat profile
- Engraved brass temperature ring
- All brass construction Over 30 finishes including 15 PVD finishes

## TO-THFN-45 **TO-THFN-45X**



TO-THFN-45X SHOWN


#### **Codes/Standards Applicable**


Product meets or exceeds the following:


• ASME A112.18.1/CSA B125.1


• ASSE 1016

- ADA compliant (with lever handles)











WALL OR DECK HANDLE TRIM

#### **Features**

- Over 30 finishes including 14 PVD finishes
- Solid brass construction
- Rough valve sold seprately (50-W-R, 75-W-R, WDV-R, DDV-R)
- For additional product offerings, see www.californiafaucets.com

# **TO-45-W**

**Codes/Standards Applicable**Meets or exceeds the following at date of manufacture:
• ASME A112.18.1/CSA B125.1

