

atlas  
porcelain collection



**MARBLE SYSTEMS**



## floor / wall tiles



WIS13100  
sahara sand honed 12"x24"  
in stock



WIS13101  
berlin toupe honed 12"x24"  
in stock



WIS13102  
miami white honed 12"x24"  
in stock



sahara sand honed porcelain tiles - sahara sand R11 textured porcelain tiles



## floor / wall tiles



WIS13097  
new york light gray honed 12"x24"  
in stock



WIS13098  
london black honed 12"x24"  
in stock



WIS13099  
stockholm greige honed 12"x24"  
in stock



miami white honed porcelain tiles - stockholm greige honed porcelain tiles



### floor / wall tiles




WIS13106  
sahara sand R11 textured 12"x24"  
in stock



WIS13107  
berlin toupe R11 textured 12"x24"  
in stock



WIS13108  
miami white R11 textured 12"x24"  
in stock



miami white honed porcelain tiles - miami white honed porcelain tiles





## floor / wall tiles



WIS13103  
new york light gray R11 textured 12"x24"  
in stock



WIS13104  
london black R11 textured 12"x24"  
in stock



WIS13105  
stockholm greige R11 textured 12"x24"  
in stock




miami white honed porcelain tiles - stockholm greige honed porcelain tiles





new york light gray honed 12"x24"




miami white honed porcelain tiles 12"x24"  
stockholm greige honed porcelain tiles 12"x24"

### technical information

Physical - Visual Properties	ASTM Test	Industry Standard	Results
Water Absorption	C373	Impervious < 0.5%	≤ 0.1%
Thickness Dimension	C499	Range ± 0.04 Inc. Max.	≤± 0.04 Inc.
Facial Dimension	C499	± 0.25%	≤± 0.25%
Warpage Average Diagonal	C485	± 0.40%	≤± 0.40%
Warpage Average Edge	C485	± 0.40%	≤± 0.40%
Wedging	C502	± 0.25%	≤± 0.25%
Bond Strength	C482	≥ 50 psi	≥ 200 psi
Breaking Strength	C648	≥ 250 lbf	≥ 400 lbf
Hardness (MOHS)	Scratch Test (No regulated)	Range 0 - 10	≥ 7
Visible Abrasion Resistance for Glaze tiles	C1027	No Requirement, Range 0 - 5	Class 4
Frost Resistance	C1026	No sample must show alterations to surface	No evidence of damage
Chemical Resistance	C650	No Requirement, Range E - A	Class A
Stain Resistance	C1378	No Requirement, Range E - A	Class A*
DCOF - HONED	BOT 3000	≥ 0.42*	≥ 0.50
DCOF - TEXTURED	BOT 3000	≥ 0.42*	≥ 0.65
Aesthetic Classification	Visual Evaluation Shade & Texture	No Requirement, Range V0 - V4	V2

\*All values given for Matte or Honed material, etc.



## MARBLE SYSTEMS

MID-ATLANTIC & MID-WEST DIVISION

2737 DORR AVENUE FAIRFAX, VA 22031 PHONE : 703 226 1590 FAX : 703 226 1591

NORTHEAST DIVISION

610 WASHINGTON AVE CARLSTADT, NJ 07072 PHONE : 201 507 0111 FAX : 201 507 0888

WEST COAST DIVISION

2111 E HOWELL AVE, ANAHEIM, CA 92806 PHONE : 714 525 8910 FAX : 714 525 8911

MIAMI & CARIBBEAN DIVISION

2716 PONCE DE LEON BLVD. CORAL, GABLES, FL 33134 PHONE : 305 463 9850 FAX : 305 463 9851

SOUTHEAST DIVISION

2010 WEST ATLANTIC BLVD. POMPANO BEACH, FL 33069

PHONE : 954 979 9530 FAX : 954 979 9531

PUERTO RICO DIVISION

279 JOSÉ DE DIEGO AVE. SAN JUAN, PR 00920 PHONE : 787 793 5642 FAX : 787 774 8238

DOMINICAN REPUBLIC

CALLE DR MANUEL EMILIO PERDOMO #33, LOCAL 3 ENSANCHE NACO

SANTO DOMINGO, REPÚBLICA DOMINICANA PHONE: 809 692 2391

## COUNTRY FLOORS

NEW YORK

15 EAST 16TH STREET NEW YORK, NY 10003 PHONE : (212) 627 8300 FAX : (212) 242 1604

LOS ANGELES

8735 MELROSE AVENUE LOS ANGELES, CA 90069 PHONE : (310) 657 0510 FAX : (310) 657 2172

SAN FRANCISCO

TWO HENRY ADAMS STREET ST. 100 SAN FRANCISCO, CA 94103 PHONE : (415) 241 0500 FAX : (415) 241 0600

## MANUFACTURING FACILITIES

CHANTILLY

25383 PLEASANT VALLEY ROAD, CHANTILLY, VA 20152 PHONE : 703 337 1500 FAX: 703 337 1501

MGM

ORGANIZE SANAYI BOLGESI 1. CD. 12. SK. NO: 8 AFYONKARAHISAR/TURKEY PHONE : +90 541 472 2205

TUREKS

ORGANIZE SANAYI BOLGESI 1. CD. 5. SK. AFYONKARAHISAR/TURKEY PHONE : +90 272 221 1600

